L Number	Hits	Search Text	DB	Time stamp
-	36	(((400/472-489) or (345/168) or (345/172) or (341/21-22) or (341/26) or (341/176) or (434/227) or (434/231-232)).CCLS.) and (function same key same lock same mode$1 same (keyboard or (key adj board)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:48
-	11	function same key same lock same mode$1 same (keyboard or (key adj board)) same first same second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:49
-	5	(function adj lock) same key same mode$1 same (keyboard or (key adj board))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:05
-	13	(function adj lock) same key same (keyboard or (key adj board))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:52
-	22	("4042777" | "4202041" | "4222038" | "4277780" | "4302816" | "4303973" | "4360892" | "4375060" | "4381502" | "4400697" | "4431988" | "4438073" | "4464070" | "4490056" | "4502038" | "4502039" | "4604712" | "4647911" | "4669901" | "4680710" | "4680725" | "4694280").PN.	USPAT	2003/12/03 17:59
-	21	4937778.URPN.	USPAT	2003/12/03 18:00
-	2	(("5360280") or ("5397189")).PN.	USPAT	2003/12/03 18:16
-	1	(function adj lock) same key$1 same selector and keyboard	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:52
-	3	(function adj lock) same key$1 same mode$1 same switch$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:53
-	81	(function near2 (lock or second)) same key$1 same mode$1 same switch$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:54
-	13	("5021638" | "5189403" | "5305449" | "5376946" | "5568987" | "5577848" | "5621436" | "5831597" | "5835791" | "6098143" | "6100875" | "6281812" | "6320519").PN.	USPAT	2003/12/03 18:54
-	1	6469694.URPN.	USPAT	2003/12/03 18:55
-	5	("4065650" | "4160886" | "5481264" | "5629694" | "5803237").PN.	USPAT	2003/12/03 19:41
-	0	function same key same lock same mode$1 same (keyboard or (key adj board)) same file same (email or e-mail) same command	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 19:43
-	8	function same key same lock same mode$1 same (keyboard or (key adj board)) same file$1 same command	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 19:44
-	125	function same key same lock same mode$1 same (keyboard or (key adj board))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 19:50

–	13	("4823294" | "4891777" | "4974183" | "5062070" | "5184315" | "5287526" | "5288158" | "5479192" | "5574447" | "5841423" | "5935225" | "5949643" | "6014092").PN.	USPAT	2003/12/03 19:48
–	0	6198474.URPN.	USPAT	2003/12/03 19:48
–	0	6198474.URPN.	USPAT	2003/12/03 19:48
–	8	function same key$1 same file$1 same (e-mail or email) same (keyboard or (key adj board))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 19:51
–	14032	function same key$1 same (keyboard or (key adj board))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 19:51
–	1236	(((400/472-489) or (345/168) or (345/172) or (341/21-22) or (341/26) or (341/176) or (434/227) or (434/231-232)).CCLS.) and (function same key$1 same (keyboard or (key adj board)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 19:51
–	3181	function same key$1 same (keyboard or (key adj board)) same switch$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 19:52
–	382	(((400/472-489) or (345/168) or (345/172) or (341/21-22) or (341/26) or (341/176) or (434/227) or (434/231-232)).CCLS.) and (function same key$1 same (keyboard or (key adj board)) same switch$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 19:52
–	915	function same key$1 same (keyboard or (key adj board)) same switch$4 same mode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:01
–	92	(((400/472-489) or (345/168) or (345/172) or (341/21-22) or (341/26) or (341/176) or (434/227) or (434/231-232)).CCLS.) and (function same key$1 same (keyboard or (key adj board)) same switch$4 same mode$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 19:52
–	2	function same key$1 same (keyboard or (key adj board)) same switch$4 same mode$1 same save same open same new same print same close	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:02
–	5	function same key$1 same (keyboard or (key adj board)) same switch$4 same mode$1 same save same open same new	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:04
–	184	function same key$1 same (keyboard or (key adj board)) same switch$4 same mode$1 same (save open new close print send spell help find fwd reply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:06
–	462	(function near2 key$1) same (keyboard or (key adj board)) same switch$4 same mode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:11
–	50	(((400/472-489) or (345/168) or (345/172) or (341/21-22) or (341/26) or (341/176) or (434/227) or (434/231-232)).CCLS.) and ((function near2 key$1) same (keyboard or (key adj board)) same switch$4 same mode$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:07

-	25	(function near2 key$1) same (keyboard or (key adj board)) same mode$1 same command same file$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:09
-	168	(function near2 key$1) same (keyboard or (key adj board)) same mode$1 same command	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:17
-	67	(function same key$1) same (keyboard or (key adj board)) same mode$1 same first same second same (computer or ergonomic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:26
-	561	(function or hot) same key$1 same (keyboard or (key adj board)) same mode$1 same (computer or ergonomic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:26
-	13	(function same hot) same key$1 same (keyboard or (key adj board)) same mode$1 same (computer or ergonomic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:32
-	4	("4870604" | "4890832" | "4908612" | "5080516").PN.	USPAT	2003/12/03 20:27
-	31	5181029.URPN.	USPAT	2003/12/03 20:27
-	0	6429855.URPN.	USPAT	2003/12/03 20:27
-	26	("4490604" | "4524244" | "4551717" | "4633227" | "4823311" | "4853888" | "4853952" | "4964075" | "4975896" | "5123098" | "5181029" | "5265252" | "5285400" | "5355327" | "5381517" | "5396591" | "5398045" | "5483251" | "5486846" | "5557798" | "5572239" | "5572570" | "5600313" | "5742808" | "5790652" | "5917905").PN.	USPAT	2003/12/03 20:27
-	10	("D357011" | "3894346" | "4583092" | "4698618" | "5181029" | "5339095" | "5387042" | "5646648" | "5699059" | "5717430").PN.	USPAT	2003/12/03 20:28
-	7	5986586.URPN.	USPAT	2003/12/03 20:29
-	35	hot same key$1 same (keyboard or (key adj board)) same mode$1 same (computer or ergonomic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:32
-	93	(function near2 key$1) same (keyboard or (key adj board)) same switch$4 same mode$1 same (computer or ergonomic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:41
-	6182	((400/472-489) or (345/168) or (345/172) or (341/21-22) or (341/26) or (341/176) or (434/227) or (434/231-232)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:35
-	669	(function$4 same key$1) same (keyboard or (key adj board)) same mode$1 same (computer or ergonomic)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:58
-	152	(special same key$1) same (keyboard or (key adj board)) same mode$1 same (computer or ergonomic)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:55
-	0	(send same save same print same spell) same key$1 same (keyboard or (key adj board)) same mode$1 same (computer or ergonomic)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:56

-	0	(send same save same print same spell) and (key$1 same (keyboard or (key adj board)) same mode$1 same (computer or ergonomic))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:56
-	4	(send same save same print) and (key$1 same (keyboard or (key adj board)) same mode$1 same (computer or ergonomic))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:57
-	21	(save same print) and (key$1 same (keyboard or (key adj board)) same mode$1 same (computer or ergonomic))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 20:57
-	3480	function$1 same key$1 same mode$1 same (keyboard or (key adj board))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:06
-	1141	function$1 same switch$4 same key$1 same mode$1 same (keyboard or (key adj board))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:08
-	0	function$1 same switch$4 same key$1 same mode$1 same (keyboard or (key adj board)) same alpha adj numeric same section	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:08
-	14	function$1 same switch$4 same key$1 same mode$1 same (keyboard or (key adj board)) same ((alpha adj numeric) or alphanueric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:09
-	23	(function near2 key$1) same (keyboard or (key adj board)) same switch$4 same mode$1 same lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:29
-	15	("5396546" | "5724102" | "5724106" | "5727159" | "5801784" | "5828370" | "5854624" | "5905251" | "5929849" | "5938726" | "5982445" | "6012112" | "6157809" | "6181326" | "6215420").PN.	USPAT	2003/12/15 13:14
-	5	("4065650" | "4160886" | "5481264" | "5629694" | "5803237").PN.	USPAT	2003/12/15 13:15
-	0	6211475.URPN.	USPAT	2003/12/15 13:16
-	36	(function near2 key$1) same (keyboard or (key adj board)) same switch$4 same mode$1 same first same second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:33
-	123	(function$4 same key$1) same (keyboard or (key adj board)) same switch$4 same mode$1 same first same second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:33
-	87	((function$4 same key$1) same (keyboard or (key adj board)) same switch$4 same mode$1 same first same second) not ((function near2 key$1) same (keyboard or (key adj board)) same switch$4 same mode$1 same first same second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 13:33
-	1	("6011495").PN.	USPAT	2003/12/15 13:41
-	7	6011495.URPN.	USPAT	2003/12/15 13:41
-	7	("3235055" | "3927752" | "4795349" | "4940346" | "5358343" | "5667319" | "6011495" | "2002/0077135" | "2002/0164189").PN.	USPAT	2003/12/15 13:41
-	2	("2947357" | "3530239").PN.	USPAT	2003/12/15 13:53
-	18	3927752.URPN.	USPAT	2003/12/15 13:54

–	27	("4698757" | "5214429" | "5287526" | "5381530" | "5410706" | "5440699" | "5600313" | "5610601" | "5655077" | "5790103" | "5809143" | "5818361" | "5854624" | "5867729" | "5895462" | "5900867" | "5905493" | "5926170" | "5949643" | "5986586" | "5999950" | "6011495" | "6014131" | "6018335" | "6047196" | "6243035" | "6275944" | "2001/0005199").PN.	USPAT	2003/12/15 13:55
–	7	6011495.URPN.	USPAT	2003/12/15 13:58
–	7	("3235055" | "3927752" | "4795349" | "4940346" | "5358343" | "5667319" | "6011495" | "2002/0077135" | "2002/0164189").PN.	USPAT	2003/12/15 13:58
–	11	("D363928" | "D369594" | "4853888" | "4931950" | "5339095" | "5600313" | "5606344" | "5640540" | "5675390" | "5677687" | "5682525").PN.	USPAT	2003/12/15 13:58
–	10022	(keyboard same key$1) and (second with (function$1 mode$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:20
–	1588	(keyboard same key$1) same (second with (function$1 mode$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 17:03
–	22	(keyboard same key$1) same (second with (function$1 mode$1)) same lock same select$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:23
–	61	(keyboard same key$1) same (second with (function$1 mode$1)) same lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:23
–	39	((keyboard same key$1) same (second with (function$1 mode$1)) same lock) not ((keyboard same key$1) same (second with (function$1 mode$1)) same lock same select$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:23
–	0	6198474.URPN.	USPAT	2003/12/17 15:32
–	13	("4823294" | "4891777" | "4974183" | "5062070" | "5184315" | "5287526" | "5288158" | "5479192" | "5574447" | "5841423" | "5935225" | "5949643" | "6014092").PN.	USPAT	2003/12/17 15:32
–	99	(keyboard same key$1) same (second with (function$1 mode$1)) same special	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 17:04
–	13	("0722006" | "2052616" | "2285963" | "2615548" | "3464531" | "3945482" | "4512092" | "4641723" | "4830526" | "4974183" | "5017030" | "5032698" | "5391006").PN.	USPAT	2003/12/17 17:08
–	2	5560724.URPN.	USPAT	2003/12/17 17:08
–	10	("4680577" | "4786894" | "4903222" | "4931781" | "4974183" | "5041819" | "5124689" | "5189403" | "5198802" | "5245321").PN.	USPAT	2003/12/17 17:12
–	14	5485614.URPN.	USPAT	2003/12/17 17:13
–	352	keyboard same key$1 same upper same front same surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 15:02

-	8	keyboard same key$1 same upper same front same surface same indicia	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 15:03
-	187	keyboard same key$1 same upper with front with surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 15:03
-	117	keyboard same key$1 with upper with front with surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 15:03
-	11	(ergonomic computer) same keyboard same key$1 with upper with front with surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 15:05
-	57	(ergonomic computer) same keyboard same key$1 with front with surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 15:07
-	34	(ergonomic computer) same keyboard same key$1 with upper same side with surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 15:08
-	270	(ergonomic computer) same keyboard same key$1 same multiple same function$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 16:54
-	11	(ergonomic computer) same (keyboard (key adj board)) same key$1 same multiple same function$1 same mode$1 same switch$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 15:11
-	50	(ergonomic computer) same (keyboard (key adj board)) same key$1 same multiple same function$1 same mode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 15:19
-	22	(ergonomic computer) same (keyboard (key adj board)) same key$1 same multiple same function$1 same second same (first prima$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 15:21
-	333	(ergonomic computer) same (keyboard (key adj board)) same key$1 same function$1 same second same (first prima$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 16:10
-	2	(ergonomic computer) same (keyboard (key adj board)) same key$1 same function$1 same second same (first prima$4) same top same side same surface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 16:11
-	0	(ergonomic computer) same (keyboard (key adj board)) same (key$1 near3 multiple near3 function$1) same second same (first prima$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 16:12
-	38	(ergonomic computer) same (keyboard (key adj board)) same (key$1 near3 multiple near3 function$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/28 16:12
-	5	("1385356" | "4084214" | "5286125" | "5336002" | "6094156").PN.	USPAT	2003/12/28 16:18

–	9	("3698533" | "3847263" | "3920979" | "4324976" | "4344069" | "4669903" | "5059048" | "5073054" | "5087910").PN.	USPAT	2003/12/28 16:13
–	19	5336002.URPN.	USPAT	2003/12/28 16:13
–	17	("4519721" | "5003301" | "5124702" | "RE34304" | "5336002" | "5367298" | "5469160" | "5497151" | "5498088" | "5584588" | "5625354" | "5626429" | "5793312" | "5836705" | "5847697" | "5879089" | "D417662").PN.	USPAT	2003/12/28 16:14
–	18	("3691324" | "3847263" | "3971902" | "3983355" | "4265557" | "4311884" | "4440515" | "4486637" | "4843200" | "4849732" | "4897649" | "4913573" | "4918264" | "5003301" | "5053591" | "5087910" | "5288158" | "5367298").PN.	USPAT	2003/12/28 16:15
–	7	5497151.URPN.	USPAT	2003/12/28 16:15
–	1	("5790103").PN.	USPAT	2003/12/28 16:18
–	29	("3927752" | "3945482" | "4042777" | "4270022" | "4519721" | "4555193" | "4579470" | "4633227" | "4655621" | "4791408" | "4824268" | "4847799" | "4911565" | "4940346" | "4974183" | "5003301" | "5006001" | "5017030" | "5059048" | "5087910" | "5184315" | "5186555" | "5197811" | "5267127" | "5281966" | "5336002" | "5352050" | "5367298" | "5612691").PN.	USPAT	2003/12/28 16:18
–	11	(ergonomic computer) same keyboard same key$1 same multiple same function$1 same lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/28 16:55